

**Amendments to the Claims:**

This listing of claims will replace all prior versions and listings of claims in the application.

**Listing of Claims:**

1. (Currently Amended) A fabric display comprising:
  - a support arm having a first end attached to a support surface and a second end extending substantially horizontally from the support surface; and
  - a fabric arm adapted to support a fabric sheet, the fabric arm comprising:
    - a main segment having a rear end fixedly attached to the first end of the support arm and a front end that extends forward from the rear end along one side of the support arm;
    - a reverse bend at the front end of the fabric arm, wherein the reverse bend extends inwardly from the main segment toward the support arm; and
    - a bend arm that extends substantially rearward from the reverse bend between the main segment and the support arm, wherein the bend arm ~~is not fixedly attached to the support arm, and wherein the bend arm~~ laterally spaces the main segment of the fabric arm from the support arm to provide clearance for loading a portion of the fabric sheet between the main segment of the fabric arm and the support arm so that the fabric sheet is supported on the fabric arm without direct attachment to the support arm, and allow the fabric arm to support the fabric sheet without direct attachment of the fabric sheet to the support arm. and wherein the bend arm includes a snap knob having a head adapted for releasable connection within an aperture formed in the support arm to provide a releasable connection with the support arm in a manner that does not damage the fabric sheet.
2. (Original) A fabric display as defined in claim 1, wherein a length of the bend arm is substantially less than a length of the main segment of the fabric arm.
3. (Original) A fabric display as defined in claim 2, wherein the length of the bend arm is approximately 20-30% of the length of the main segment of the fabric arm.

4. (Canceled).

5. (Canceled).

6. (Currently Amended) A fabric display as defined in claim 1, wherein the support arm is pivotably mounted to a the support surface.

7. (Currently Amended) A fabric display ~~as defined in claim 6, wherein the support arm is connected to a frame, said frame~~ comprising:

a pivot arm rotatably mounted to a support surface to pivot about a substantially vertical axis;

a support arm having a first end attached to the pivot arm and a second end extending substantially horizontally from the pivot arm;

a handle arm attached to the second end of the support arm, the handle arm extending substantially parallel to the pivot arm; and

a fabric arm adapted to support a fabric sheet, the fabric arm comprising:

a main segment having a rear end fixedly attached to the first end of the support arm and a front end that extends forward from the rear end along one side of the support arm;

a reverse bend at the front end of the fabric arm, wherein the reverse bend extends inwardly from the main segment toward the support arm; and

a bend arm that extends substantially rearward from the reverse bend between the main segment and the support arm, wherein the bend arm is not fixedly attached to the support arm, and wherein the bend arm laterally spaces the main segment of the fabric arm from the support arm to provide clearance for loading a portion of the fabric sheet between the main segment of the fabric arm and the support arm to allow the fabric arm to support the fabric sheet without direct attachment of the fabric sheet to the support arm.

~~a pivot arm rotatably mounted to the support surface to pivot about a substantially vertical axis, wherein the first end of the support arm is attached to a top end of the pivot arm;~~

~~a handle arm attached to the second end of the support arm, the handle arm extending substantially parallel to the pivot arm; and~~

~~a cross brace attached to both the pivot arm and the handle arm to help support a load applied to the fabric arm.~~

8. (Currently Amended) A fabric display as defined in claim 7, further comprising a cross brace attached to both the pivot arm and the handle arm to help support a load applied to the fabric arm, wherein the cross brace extends substantially parallel to the support arm.

9. (Currently Amended) A fabric display as defined in claim 7, wherein the pivot arm is mounted for rotation between opposing brackets attached to ~~a vertical~~ the support surface.

10. (Original) A fabric display as defined in claim 7, further comprising a handle attached to one end of the handle arm.

11. (Original) A fabric display as defined in claim 10, wherein the handle is formed integrally with the handle arm.

12. (Previously Presented) A fabric display as defined in claim 1, wherein a second fabric arm is attached to an opposite side of the support arm, and wherein each fabric arm is adapted to display a separate fabric sheet.

13. (Canceled).

14. (Canceled).

Claims 15-20 (Previously Canceled)